





PERFORMANCE SPECIFICATION

Max power	upto 460ps @ 7000rpm*
Max engine revs	7000rpm*
Fuel rating	98 ron minimum
Engine position	Transverse mid-mounted
Unladen vehicle mass	1350kg Unladen*

VEHICLE SPECIFICATION

Chassis	Modular lightweight bonded aluminium structure
Wheels	Forged alloy
Tyres	Front 245/645/18, Rear 305/680/18 Pirelli Slick
Suspension	Forged aluminium double wishbone suspension, 2-way adjustable Ohlins TTX dampers, uprated bushes and anti-roll bars
Braking system	6-piston calipers front, 4-piston calipers rear 2-piece brake discs, adjustable brake balance

VEHICLE SPECIFICATION

Fuel tank/filler	Upto 120L* fuel cell with dry brake filler and fuel drain system
Engine specification	Lotus-tuned 3.5 Itr Toyota 2GR V6 with dry sump lubrication
Engine cooling	Water cooled with heat exchanger
Transmission	6-speed sequential with limited-slip differential, electronic flat shift and auto-blip
Electronics	Motec Dash – competition specification wiring harness
Electric door mirrors	Standard
Jump battery connector	Standard
FIA rain light	Standard
3-point air jack system	Option

VEHICLE SPECIFICATION

	driver safety nets and fire extinguisher system
Dimensions	Length 4,410mm / Height 1,290mm / Track 1,664mm
INTERIOR SPECIFICATION	
Steering type	Rack and pinion, power assisted, quick-release wheel
Instruments/controls	Motec ECU dash, gear indicator, fire extinguisher and electric cut-out
Seat	FIA approved competition seat – Hans compatible
Seat belts FIA ap	proved 6-point competition harness – Hans compatible
EXTERIOR SPECIFICATION	
Body panel	Composite

FIA compliant roll cage, 6-point safety harness,

Body panel	Composite
Aero	Natural fibre front splitter and rear wing
Paint	Option

